




CASE I:**NOTES**


1. TRENCH CUT IN DIRECTION OF TRAVEL
2. COLD MILL 1.5" (MIN.) FROM LANE LINE TO LANE LINE

CASE II:**NOTES**


1. TRENCH CUT DIRECTION ABUTTING EDGE OF GUTTER ON RESIDENTIAL/INDUSTRIAL/COLLECTOR STREET.
2. FOR TRENCH GREATER THAN 6' IN WIDTH OR FOR A TRENCH THAT EXTENDS BEYOND 6' FROM EDGE OF GUTTER, REPAVING OF FULL LANE(S) WIDTH FOR ENTIRE LENGTH OF TRENCH IS REQUIRED

CASE III: PAVEMENT MORATORIUM STREETS**NOTES**

1. REGARDLESS OF TRENCH SIZE, 1/2 STREET PAVEMENT RESTORATION IS REQUIRED FOR ALL PUBLIC STREETS UNDER PAVEMENT MORATORIUM

CASE IV:**NOTES**

1. TRENCH CUT NORMAL OR PERPENDICULAR TO DIRECTION OF TRAVEL.
2. W: 1.0' TRENCH WIDTH MINIMUM.

CASE V:**NOTES**

1. TRENCH CUT OR POT HOLE GREATER THAN 3' IN ANY DIRECTION.

PAVEMENT MORATORIUM

- 0-5 YEARS. - HALF STREET
ALL OTHER STREETS REQUIRE MINIMUM LANE WIDTH
- MORATORIUM PERIOD BEGINS AFTER NOTICE OF COMPLETION HAS BEEN FILED. FOR N.O.C. DATES, REFER TO PUBLIC WORKS OFFICE.
- ANY TRENCHING IN STREETS UNDER MORATORIUM REQUIRES PRIOR APPROVAL FROM THE CITY ENGINEER.
- ALL PAVEMENT RESTORATION AREA SHALL BE GROUND AND RESURFACED AT A MINIMUM OF 1.5".

CITY OF GARDENA

PUBLIC WORKS DEPARTMENT

ENGINEERING DIVISION

TITLE:

**STREET ASPHALT PATCHING
FOR TRENCH EXCAVATION**

APP. BY:

DATE 3/29/23

DRAWN BY
CHECKED BY

MA
KK

DWG.
NO.

ST- 30